

Uncaught TYPO3 Exception

#1251730701: The value must be of type "Tx_StratisHospital_Domain_Model_Person", but was of type "NULL".

Tx_Extbase_MVC_Exception_InvalidArgumentValue thrown in file
/appli/www/typo3conf/ext/extbase/Classes/MVC/Controller/Argument.php in line 389.

33 Tx_Extbase_MVC_Controller_Argument::transformValue("2564")

/appli/www/typo3conf/ext/extbase/Classes/MVC/Controller/Argument.php:

```
00349: $this->value = $value;
00350: } else {
00351: $this->value = $this->transformValue($value);
00352: }
00353: return $this;
```

32 Tx_Extbase_MVC_Controller_Argument::setValue("2564")

/appli/www/typo3conf/ext/extbase/Classes/MVC/Controller/Arguments.php:

```
00225: if (in_array($firstLowerCaseArgumentName, $this->getArgumentNames())) {
00226: $argument = parent::offsetGet($firstLowerCaseArgumentName);
00227: $argument->setValue($arguments[0]);
00228: } elseif (in_array($firstUpperCaseArgumentName, $this->getArgumentNames())) {
00229: $argument = parent::offsetGet($firstUpperCaseArgumentName);
```

31 Tx_Extbase_MVC_Controller_Arguments::_call("setPerson", array)

30 Tx_Extbase_MVC_Controller_Arguments::setPerson("2564")

29 call_user_func(array, "2564")

/appli/www/typo3conf/ext/extbase/Classes/Reflection/ObjectAccess.php:

```
00127:
00128: if (is_callable(array($object, $setterMethodName = self::buildSetterMethodName($propertyName)))) {
00129: call_user_func(array($object, $setterMethodName), $propertyValue);
00130: } elseif ($object instanceof ArrayAccess) {
00131: $object[$propertyName] = $propertyValue;
```

28 Tx_Extbase_Reflection_ObjectAccess::setProperty(Tx_Extbase_MVC_Controller_Arguments, "person", "2564")

/appli/www/typo3conf/ext/extbase/Classes/Property/Mapper.php:

```
00246: if (is_array($target)) {
00247: $target[$propertyName] = $propertyValue;
00248: } elseif (Tx_Extbase_Reflection_ObjectAccess::setProperty($target, $propertyName, $propertyValue) === FALSE) {
00249: $this->mappingResults->addError(new Tx_Extbase_Error_Error("Property '$propertyName' could not be set.", 1236783102), $propertyName);
00250: }
```

27 Tx_Extbase_Property_Mapper::map(array, array, Tx_Extbase_MVC_Controller_Arguments, array)

/appli/www/typo3conf/ext/extbase/Classes/Property/Mapper.php:

```
00138: if ($this->mappingResults->hasErrors()) return FALSE;
00139:
00140: $this->map($propertyNames, $source, $target, $optionalPropertyNames);
00141: if ($this->mappingResults->hasErrors()) return FALSE;
00142:
```

26 Tx_Extbase_Property_Mapper::mapAndValidate(array, array, Tx_Extbase_MVC_Controller_Arguments, array, Tx_Extbase_MVC_Controller_Arguments_Validator)

/appli/www/typo3conf/ext/extbase/Classes/MVC/Controller/AbstractController.php:

```
00395:
00396: $validator = $this->objectManager->create('Tx_Extbase_MVC_Controller_Arguments_Validator');
00397: $this->propertyMapper->mapAndValidate($allPropertyNames, $this->request->getArguments(), $this->arguments, $optionalPropertyNames, $validator);
00398:
00399: $this->argumentsMappingResults = $this->propertyMapper->getMappingResults();
```

25 Tx_Extbase_MVC_Controller_AbstractController::mapRequestArgumentsToControllerArguments()

/appli/www/typo3conf/ext/extbase/Classes/MVC/Controller/ActionController.php:

```
00146: }
00147:
00148: $this->mapRequestArgumentsToControllerArguments();
00149: $this->checkRequestHash();
00150: $this->controllerContext = $this->buildControllerContext();
```

24 Tx_Extbase_MVC_Controller_ActionController::processRequest(Tx_Extbase_MVC_Web_Request, Tx_Extbase_MVC_Web_Response)

```

/appli/www/typo3conf/ext/extbase/Classes/MVC/Dispatcher.php:
00080: $controller = $this->resolveController($request);
00081: try {
00082:     $controller->processRequest($request, $response);
00083: } catch (Tx_Extbase_MVC_Exception_StopAction $ignoredException) {
00084: }

23 Tx_Extbase_MVC_Dispatcher::dispatch(Tx_Extbase_MVC_Web_Request, Tx_Extbase_MVC_Web_Response)

/appli/www/typo3conf/ext/extbase/Classes/MVC/Web/FrontendRequestHandler.php:
00070: $response = $this->objectManager->create("Tx_Extbase_MVC_Web_Response");
00071:
00072: $this->dispatcher->dispatch($request, $response);
00073:
00074: return $response;

22 Tx_Extbase_MVC_Web_FrontendRequestHandler::handleRequest()

/appli/www/typo3conf/ext/extbase/Classes/Core/Bootstrap.php:
00245: $requestHandler = $requestHandlerResolver->resolveRequestHandler();
00246:
00247: $response = $requestHandler->handleRequest();
00248:
00249: // If response is NULL after handling the request we need to stop

21 Tx_Extbase_Core_Bootstrap::run("", array)
20 call_user_func_array(array, array)

/appli/www/typo3/sysext/cms/tslib/class.tslib_content.php:
06532:     ), array(
06533:         $content, $conf
06534:     ));
06535: } else {
06536:     $GLOBALS['TT']->setTLogMessage("Method "" . $parts[1] . "" did not exist in class "" . $parts[0] . "", 3);

19 tslib_cObj::callUserFunction("tx_extbase_core_bootstrap->run", array, "")

/appli/www/typo3/sysext/cms/tslib/content/class.tslib_content_user.php:
00054: }
00055: $this->cObj->includeLibs($conf);
00056: $tempContent = $this->cObj->callUserFunction($conf['userFunc'], $conf, "");
00057: if ($this->cObj->doConvertToUserIntObject) {
00058:     $this->cObj->doConvertToUserIntObject = FALSE;

18 tslib_content_User::render(array)

/appli/www/typo3/sysext/cms/tslib/class.tslib_content.php:
00769: $contentObject = $this->getContentObject($name);
00770: if ($contentObject) {
00771:     $content .= $contentObject->render($conf);
00772: } else {
00773:     // call hook functions for extra processing

17 tslib_cObj::cObjGetSingle("USER", array, "stratishospital_persons")

/appli/www/typo3/sysext/cms/tslib/content/class.tslib_content_case.php:
00051: $key = strlen($conf[$key]) ? $key : 'default';
00052: $name = $conf[$key];
00053: $theValue = $this->cObj->cObjGetSingle($name, $conf[$key . '.'], $key);
00054: if (isset($conf['stdWrap.'])) {
00055:     $theValue = $this->cObj->stdWrap($theValue, $conf['stdWrap.']);

16 tslib_content_Case::render(array)

/appli/www/typo3/sysext/cms/tslib/class.tslib_content.php:
00769: $contentObject = $this->getContentObject($name);
00770: if ($contentObject) {
00771:     $content .= $contentObject->render($conf);
00772: } else {
00773:     // call hook functions for extra processing

15 tslib_cObj::cObjGetSingle("CASE", array, "20")

/appli/www/typo3/sysext/cms/tslib/class.tslib_content.php:
00716: if (intval($theKey) && !strpos($theKey, '.')) {
00717:     $conf = $setup[$theKey . '.'];

```

```
00718: $content .= $this->cObjGetSingle($theValue, $conf, $addKey . $theKey); // Get the contentObject
00719: }
00720: }
```

14 tslib_cObj::cObjGet(array)

```
/appli/www/typo3/sysex/cms/tslib/content/class.tslib_content_contentobjectarray.php:
00047: if ($this->cObj->checkIf($conf['if.'])) {
00048:     $this->cObj->includeLibs($conf);
00049:     $content = $this->cObj->cObjGet($conf);
00050:     $wrap = isset($conf['wrap.']) ? $this->cObj->stdWrap($conf['wrap'], $conf['wrap.']) : $conf['wrap'];
00051:     if ($wrap) {
```

13 tslib_content_ContentObjectArray::render(array)

```
/appli/www/typo3/sysex/cms/tslib/class.tslib_content.php:
00769: $contentObject = $this->getContentObject($name);
00770: if ($contentObject) {
00771:     $content .= $contentObject->render($conf);
00772: } else {
00773:     // call hook functions for extra processing
```

12 tslib_cObj::cObjGetSingle("COA", array, "list")

```
/appli/www/typo3/sysex/cms/tslib/content/class.tslib_content_case.php:
00051: $key = strlen($conf[$key]) ? $key : 'default';
00052: $name = $conf[$key];
00053: $theValue = $this->cObj->cObjGetSingle($name, $conf[$key . '.'], $key);
00054: if (isset($conf['stdWrap.'])) {
00055:     $theValue = $this->cObj->stdWrap($theValue, $conf['stdWrap.']);
```

11 tslib_content_Case::render(array)

```
/appli/www/typo3/sysex/cms/tslib/class.tslib_content.php:
00769: $contentObject = $this->getContentObject($name);
00770: if ($contentObject) {
00771:     $content .= $contentObject->render($conf);
00772: } else {
00773:     // call hook functions for extra processing
```

10 tslib_cObj::cObjGetSingle("CASE", array, "tt_content")

```
/appli/www/typo3/sysex/cms/tslib/class.tslib_content.php:
00754: // Getting the cObject
00755: $GLOBALS['TT']->incStackPointer();
00756: $content .= $this->cObjGetSingle($name, $conf, $key);
00757: $GLOBALS['TT']->decStackPointer();
00758: } else {
```

9 tslib_cObj::cObjGetSingle("<tt_content", NULL, "")

```
/appli/www/typo3/sysex/cms/tslib/content/class.tslib_content_content.php:
00139: $this->cObj->lastChanged($row['timestamp']);
00140: $cObj->start($row, $conf['table']);
00141: $tmpValue = $cObj->cObjGetSingle($renderObjName, $renderObjConf, $renderObjKey);
00142: $objValue .= $tmpValue;
00143: }
```

8 tslib_content_Content::render(array)

```
/appli/www/typo3/sysex/cms/tslib/class.tslib_content.php:
00769: $contentObject = $this->getContentObject($name);
00770: if ($contentObject) {
00771:     $content .= $contentObject->render($conf);
00772: } else {
00773:     // call hook functions for extra processing
```

7 tslib_cObj::cObjGetSingle("CONTENT", array)

```
/appli/www/typo3/sysex/cms/tslib/content/class.tslib_content_fluidtemplate.php:
00146: }
00147: if (!in_array($variableName, $reservedVariables)) {
00148:     $view->assign($variableName, $this->cObj->cObjGetSingle($cObjType, $variables[$variableName . '.']));
00149: } else {
00150:     throw new InvalidArgumentException("Cannot use reserved name " . $variableName . " as variable name in FLUIDTEMPLATE.", 1288095720);
```

6 tslib_content_FluidTemplate::render(array)

```
/appli/www/typo3/sysext/cms/tslib/class.tslib_content.php:  
00769: $contentObject = $this->getContentObject($name);  
00770: if ($contentObject) {  
00771:     $content .= $contentObject->render($conf);  
00772: } else {  
00773:     // call hook functions for extra processing
```

5 tslib_cObj::cObjGetSingle("FLUIDTEMPLATE", array, "10")

```
/appli/www/typo3/sysext/cms/tslib/class.tslib_content.php:  
00716: if (intval($theValue) && !strstr($theValue, '.')) {  
00717:     $conf = $setup[$theValue . '.'];  
00718:     $content .= $this->cObjGetSingle($theValue, $conf, $addKey . $theValue); // Get the contentObject  
00719: }  
00720: }
```

4 tslib_cObj::cObjGet(array)

```
/appli/www/typo3/sysext/cms/tslib/class.tslib_pagegen.php:  
00327: $GLOBALS['TT']->incStackPointer();  
00328: $GLOBALS['TT']->push($GLOBALS['TSFE']->sPre, 'PAGE');  
00329: $pageContent = $GLOBALS['TSFE']->cObj->cObjGet($GLOBALS['TSFE']->pSetup);  
00330:  
00331: if ($GLOBALS['TSFE']->pSetup['wrap']) {$pageContent = $GLOBALS['TSFE']->cObj->wrap($pageContent, $GLOBALS['TSFE']->pSetup['wrap']);}
```

3 TSpagegen::renderContent()

```
/appli/www/typo3/sysext/cms/tslib/pagegen.php:  
00074: if (!$GLOBALS['TSFE']->isINTincScript()) {  
00075:     $TT->push('pagegen.php, render');  
00076:     TSpagegen::renderContent();  
00077:     $GLOBALS['TSFE']->setAbsRefPrefix();  
00078:     $TT->pull();
```

2 include("/appli/www/typo3/sysext/cms/tslib/pagegen.php")

```
/appli/www/typo3/sysext/cms/tslib/index_ts.php:  
00449: include($temp_theScript);  
00450: } else {  
00451:     include(PATH_tslib.'pagegen.php');  
00452: }  
00453: $TSFE->generatePage_postProcessing();
```

1 require("/appli/www/typo3/sysext/cms/tslib/index_ts.php")

```
/appli/www/index.php:  
00078: // *****  
00079:  
00080: require (PATH_tslib.'index_ts.php');  
00081:  
00082: ?>
```